

INTERLUBE INTERNATIONAL INC -- OPTI-2 2 CYCLE LUBRICANTS -- 9150-00F037741

===== Product Identification =====

Product ID:OPTI-2 2 CYCLE LUBRICANTS
MSDS Date:01/31/1993
FSC:9150
NIIN:00F037741
MSDS Number: BWJSQ
=== Responsible Party ===
Company Name:INTERLUBE INTERNATIONAL INC
Address:801 HARRIS AVE
City:BELLINGHAM
State:WA
ZIP:98225-5000
Country:US
Info Phone Num:206-734-3832
Emergency Phone Num:206-734-3832
CAGE:INTEL

=== Contractor Identification ===
Company Name:INTERLUBE INTERNATIONAL INC
Address:801 HARRIS AVE
Box:City:BELLINGHAM
State:WA
ZIP:98225-5000
Country:US
Phone:206-734-3832
CAGE:INTEL

===== Composition/Information on Ingredients =====

Ingred Name:NON HAZARDOUS INGREDIENTS

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN: PROLONGED/REPEATED CONTACT MAY
CAUSE IRRITATION/DERMATITIS.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION.

===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH W/COPIOUS AMOUNTS OF WATER. SKIN:
WASH W/SOAP & WATER. INGESTION: DON'T INDUCE VOMITING. OBTAIN
MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point:>410F

Extinguishing Media:DRY CHEMICAL, CO2, FOAM.

Unusual Fire/Explosion Hazard:AUTO-IGNITION TEMP: 572F.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID ENTRY IN SEWAGE SYSTEMS/WATERWAYS.
ABSORB W/A SUITABLE ABSORBENT.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AT NORMAL ENVIRONMENTAL TEMPS IN
CLOSED CONTAINERS. PRODUCT IS A WATER POLLUTANT, AVOID ENTRY IN
SEWAGE SYSTEMS & OTHER WATERWAYS.

Other Precautions:AVOID PROLONGED SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Ventilation:NOT NECESSARY IF USED ACCORDING TO RECOMMENDATIONS.

Protective Gloves:VITON/BUTYL RUBBER

Eye Protection:GOGGLES

Other Protective Equipment:NOT NECESSARY.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>536F

Vapor Pres:<0.1

Spec Gravity: 3

Appearance and Odor:BLUE-GREEN LUBE OIL LIQUID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Hazardous Decomposition Products:CO2, CO, SULFUR DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN APPROVED INCINERATOR/LICENSED
WASTE DISPOSAL FACILITY IN ACCORDANCE W/LOCAL, STATE & FEDERAL
REGULATIONS. MINERAL OIL RE-REFINING PROCESS IS POSSIBLE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.